
GIS REGISTRY INFORMATION

UPS Facility											
03-03-000549	9					FID	#				
						(if ap	opro	priat	e):		
54868-2402-2	20										
January 22, 2	2003										
	an S	t									
Rice Lake											
	OINA'	TES	X =	38391	2			Y =	5586	44	
jection):959				ļ							
DIA:	Gro	oundwater			Soil			Во	th		
ONTAMINATIO	ON >	ES:		Yes				No		Х	
ADDRESS:											
ES)	(=					Y =					
jection):										Walter to the second	
			Yes	5		No	X				
	RCL):									
ADDRESS 1:						1= -	T				
	X =					Y =					
	4 > 7			· ·			1				
RIGHT OF W						No	X				
		DOCUMEN	TSI	NEEDE	<u>:D</u>						
iditional closure le	etter is	sued									X
including legal de	scripti	on, for all affe	cted	propertie	s				·		
						descript	tion) fo	or all	affected	d properties	-
-					3					•	+
all properties within c	ontamin	ated site bounda	aries o	n USGS to	pographic m	ap or pl	at map	in su	fficient de	etail to permit th	ne X
<14" if paper copy). I site.	f ground	dwater standards	are e	xceeded, t	ine map mus	it also ir	iciude	tne loc	ation of a	ali municipal ar	ıa
affected properti	i es, sh	owing buildings,	roads	, property	boundaries,	contam	ninant :	source	s, utility	lines, monitorir	ng X
", if paper copy) This	map sl	hall also show th	e loca	tion of all o	contaminated	public eding c	streets h. NR	, highway 140 E	vay and i	railroad rights-coil contamination	of- on
SSRCLs.						g 0					
ter Analytical Res	ults (n	o shading or	cross	-hatching	g)						Х
tical Results (no s	hading	g or cross-hat	ching)							Х
required for site mination defined. If no	investi ot avail	igation (SI) (8. able, include th	5x14" e lates	if paper co it extent o	opy). The iso of contamina	oconcen I nt plum	tration ne map	map s).	should ha	ave flow direction	on
evations, with sar	npling	dates, and fre	ee pro	duct not	ted if prese	nt			The second secon		X
ow direction/mon	itoring	well location	map	(should	be 2 maps	if max	imum	varia	ation in	flow direction	ın X
ent of contaminat	ion ex	ceeding gene	ric or	SSRCLs	, with one	contou	ır				
required for SI. (3.5x14'	if paper copy)		***************************************							
legal descriptions	are c	omplete and a	ccura	ıte							
ation letters (if ap	plicab	le)									
er of residual conf	tamina	tion (if applica	able)(public, hiç	ghway or ra	ilroad F	ROW)				丁
leed restriction(s)	or dee	d notice <i>if an</i>	y requ	ired as a	condition	of clo	sure				Х
	January 22, 2 220 W Colement Rice Lake GPS COORE Djection):959 DIA: ONTAMINATION ADDRESS: ES Djection): CONTAMINATION CONTAMINAT	January 22, 2003 220 W Coleman S Rice Lake GPS COORDINA jection):959 DIA: Gro ONTAMINATION > ADDRESS: ES X = jection): CONTAMINATION cific RCL (SSRCL ADDRESS 1: ES X = jection): RIGHT OF WAY: ditional closure letter is including legal description all properties within contamination of the record fused for county, for all all properties within contamination in party and in relation to the b SSRCLS. ter Analytical Results (no shading frequired for site investination defined. If not avail evations, with sampling ow direction/monitoring ent of contamination ex required for SI. (8.5x14) legal descriptions are contamination ex required for SI. (8.5x14) legal descriptions are contamination ex required for SI. (8.5x14) legal descriptions are contamination ex required for SI. (8.5x14)	January 22, 2003 220 W Coleman St Rice Lake GPS COORDINATES pjection):959 DIA: Groundwater ONTAMINATION >ES: ADDRESS: ES X = pjection): CONTAMINATION refice RCL (SSRCL): ADDRESS 1: ES X = pjection): RIGHT OF WAY: Yes DOCUMEN reditional closure letter issued reduinding legal description, for all affected properties within contaminated site boundary and in relation to the boundaries of groundwater standards site. affected properties, showing buildings, if paper copy). If groundwater standards site. affected properties, showing buildings, if paper copy) This map shall also show the perty and in relation to the boundaries of groundwater standards site. affected properties, showing buildings, in properties within contaminated site boundary and in relation to the boundaries of groundwater standards site. affected properties, showing buildings, in figure and in relation to the boundaries of groundwater standards site. affected properties, showing buildings, include the perty and in relation to the boundaries of groundwater standards in the properties within contaminated site boundary and in relation to the boundaries of groundwater standards site. affected properties, showing buildings, in figure and the properties within contaminated site boundary and in relation to the boundaries of groundwater standards site. affected properties, showing buildings, in figure and site of the properties within contaminated site boundaries of groundwater standards site. affected properties, showing buildings, in figure and site of properties within contaminated site boundaries of groundwater standards site. affected properties, showing buildings, in figure and site of properties within contaminated site boundaries of groundwater standards site. affected properties, showing buildings, include the system of the properties within contaminated site boundaries of groundwater standards site.	January 22, 2003 220 W Coleman St Rice Lake 'GPS COORDINATES jection):959 DIA: Groundwater ONTAMINATION >ES: ADDRESS: ES X = jection): CONTAMINATION cific RCL (SSRCL): ADDRESS 1: ES X = jection): CONTAMINATION cific RCL (SSRCL): ADDRESS 1: ES X = jection): CONTAMINATION cific RCL (SSRCL): ADDRESS 1: TES X = jection): CONTAMINATION cific RCL (SSRCL): ADDRESS 1: TES X = jection): CONTAMINATION cific RCL (SSRCL): ADDRESS 1: TES X = jection): TES X = jection): TES X = jection): TIS X = jection): TIS X = jection in the second of the recorded plat map (if recorded plat map) (if paper copy). If groundwater standards are estite. The second properties, showing buildings, roads in paper copy). If groundwater standards are estite. The second properties, showing buildings, roads in paper copy). If groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite. The second properties within contaminated site boundaries of groundwater standards are estite.	January 22, 2003 220 W Coleman St Rice Lake GPS COORDINATES Jection):959 DIA: Groundwater ONTAMINATION >ES: Yes ADDRESS: Jection): CONTAMINATION Cific RCL (SSRCL): ADDRESS 1: TES Jection): RIGHT OF WAY: Pes DOCUMENTS NEEDE Including legal description, for all affected properties And present of the recorded plat map (if referenced of the county) for all affected properties All properties within contaminated site boundaries on USGS to the county, for all affected properties all properties within contaminated site boundaries on USGS to the county, for all affected properties all properties within contaminated site boundaries on USGS to the county, for all affected properties all properties within contaminated site boundaries on USGS to the county, for all affected properties all properties within contaminated site boundaries on USGS to the county, for all affected properties all properties within contaminated site boundaries on USGS to the county, for all affected properties all properties within contaminated site boundaries on USGS to the county, and in relation to the boundaries of groundwater contains All properties within contamination show the location of all operty and in relation to the boundaries of groundwater contains SRCLs. All properties within contamination (SI) (8.5x14" if paper contains to the boundaries of groundwater contains All properties within contamination (SI) (8.5x14" if paper contains to the latest extent of the contamination exceeding generic or SSRCLs arequired for SI. (8.5x14" if paper copy) Regal descriptions are complete and accurate that on the contamination exceeding generic or SSRCLs arequired for SI. (8.5x14" if paper copy) Regal descriptions are complete and accurate that on the contamination (If applicable) (public, higher of residual contamination (If applicable) (public, high	January 22, 2003 220 W Coleman St Rice Lake GPS COORDINATES Jection):959 DIA: Groundwater ONTAMINATION >ES: Yes ADDRESS: Jection): CONTAMINATION Cific RCL (SSRCL): ADDRESS 1: Ses	January 22, 2003 220 W Coleman St Rice Lake GPS COORDINATES Spection):959 DIA: ONTAMINATION >ES: Yes ADDRESS: TES X =	Sample S	Sample S	54868-2402-20 January 22, 2003 220 W Coleman St Rice Lake GPS COORDINATES X = 383912 Y = 5586- spection): 959 DIA: Groundwater Soil Both DNTAMINATION >ES: Yes No ADDRESS: TES X = Y = Spection): CONTAMINATION Yes No X CIFIC RCL (SSRCL): ADDRESS 1: TES X = Y = Spection): TONTAMINATION Yes No X DOCUMENTS NEEDED Inditional closure letter issued Including legal description, for all affected properties and properties within contaminated site boundaries on USGS topographic map or plat map in sufficient of the "fa paper copy). If groundwater standards are exceeded, the map must also include the location of site. affected properties, showing buildings, roads, property boundaries, contaminant sources, utility in paper copy). If groundwater standards are exceeded, the map must also include the location of site. affected properties, showing buildings, roads, property boundaries, contaminant sources, utility in paper copy). This map shall also show the location of all contaminated public streets, showing buildings, roads, property boundaries, contaminant sources, utility in paper copy). This map shall also show the location of all contaminated public streets surgers, which is contaminated on the boundaries of groundwater contamination exceeding ch. NR 140 ESs and s SSRCLS. ter Analytical Results (no shading or cross-hatching) incal Results (no shading or cross-hatching	Sample S





January 22, 2003

Linda Lvons **UPS** 55 Glenlake Pkwy NE Atlanta, GA 30328

RF.

Final Closure

Commerce # 54868-2402-20 WDNR BRRTS # 03-03-000549 UPS Facility, 220 W Coleman St, Rice Lake

Dear Ms. Lyons:

The Wisconsin Department of Commerce (Commerce) has received all items required for closure of the site referenced above. This site is now listed as "closed" on the Commerce database.


It is in your best interest to keep all documentation related to the environmental activities at your site. If residual contamination is encountered in the future, appropriate measures must be implemented to assure that it is managed following all applicable regulations. If future site conditions indicate that any remaining contamination poses a threat, and subsequent information indicates a need to reopen this case, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-5401.

Sincerely,

Shawn A. Wenzel Hydrogeologist Site Review Section

Case File CC:



SOURCE: RICE LAKE NORTH AND RICE LAKE SOUTH 7.5 MINUTE QUADRANGLE UNITED PARCEL - SERVICE - RICE LAKE, WI.

FIGURE 1 SITE LOCATION MAP RICE LAKE, WI

Scale: I" = 2000' Date: SEPTEMBER 1992
Prepared By: Foth & Van Dyke By: TLD

92U9




TABLE 2

UNITED PARCEL SERVICE 220 W COLEMAN STREET RICE LAKE, WISCONSIN

WATER QUALITY SUMMARY
(all results are in micrograms per liter (ug/l))

								1.3.5-	1.2.4-			
	Date					Ethyl	Xylenes	Trimethyl-	Trimethyl-	Naphtha-	n-Butyl-	sec-Butyl-
Location	Sampled	TPH GRO	MTBE	Benzene	Toluene	Benzene	(total)	benzene	benzene	lene	benzene	benzene
Enforcement Standard	dard	1	09	2	343	200	620	1	1	40	1	ı
Preventive Action Limit	Limit	1	12	4.5	68.6	140	124	1	ł	&	:	
MW-1	7/31/96	<50	<1.0	9.0>	<1.0	<1.0	<2.0	<1. 0	<1.0	<1.0	<1.0	<1.0
MW-1	4/29/97	×14	<0.61	<0.20	<0.20	<0.22	<0.76	<0.20	<0.19	<0.16	<0.13	<0.15
MW-1	7/18/00	<15	<0.14	<0.14	<0.18	<0.12	<0.38>	<0.20	<0.12	<0.23	<0.12	<0.12
MW-3	7/31/96	<50	<1.0	9.0>	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-3	4/29/97	412	<0.61	<0.20	<0.20	<0.22	<0.76	<0.20	<0.19	<0.16	<0.13	<0.15
MW-3	7/18/00	<15	<0.14	<0.14	<0.18	<0.12	<0.37>	<0.20	<0.12	<0.31>	<0.12	<0.12
MW-5	5/12/93	19,000	390	170	1,300	610	5,800	200	280	006	380	Q
MW-5	6/6/9	16,000	200	4	1,200	200	1,900	280	2,200	120	230	-
MW-5	2/3/94	11,000	2	40	27	26	1,500	280	1,500	ı	ı	1
MW-5	9/6/94	3,400	19	37	က	110	310	82	140	1	1	ı
MW-5	6/10/95	3,100	2	2	26	180	410	130	240	91	130	2
MW-5	3/21/96	3,900	2	Q	5.2	230	630	220	290	110	24	8.9
MW-5	7/31/96	2,700	<5.0	<3.0	22	51	1,280	370	1,100	110	36	7
MW-5	4/29/97	300	<0.70>	<0.20	0.93	[:	4.8	1.5	14	0.61	9.9	1.5
MW-5	7/18/00	160	<0.29	<0.29	<0.36	1.7	7.1	5.9	19	5.4	6.0	1.1
9-WM	5/12/93	Q	ŀ	9	2	QN	₽	Q	QN	9	Q	QN
9-WM	6/6/9	110	;	2	70	Q	29.7	2.6	18	75	3.1	2
9-WM	2/3/94	Q	ı	2	Q	2	ı	Q.	2	ı	I	ı
MW-6	9/6/94	2	ı	9	2	2	2	2	2	1	1	ı
MW-6	6/2/95	2	ı	2	2	Q	2	Q	Q	2	2	2
9-WW	3/21/96	Q Z	ı	2	Q	Q N	2	Q	2	2	Q	2
9-WM	7/31/96	<50	√ 0.1	9.0>	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	o.t>
9-MM	4/29/97	<14	<0.61	<0.20	<0.20	<0.22	<0.76	<0.20	<0.19	0.61	<0.13	<0.15
9-WM	7/18/00	<15	<0.14	<0.14	<0.18	<0.12	<0.41>	<0.20	<0.12	<0.23	<0.12	<0.12

TABLE 2

UNITED PARCEL SERVICE 220 W COLEMAN STREET RICE LAKE, WISCONSIN

WATER QUALITY SUMMARY
(all results are in micrograms per liter (ug/l))

				1,2-	Dichloro-	1,2-	-osl		1,1,1-			
,	Date	Chloro-	Chloro-	Dibromo-	diflouro-	Dichloro-	propyl	Methylene	Trichloro-	n-propyl-	n-propyl- Isopropyl-	p-Isopropyl-
Location	Sampled	form	methane	ethane	methane	propane	penzene	Chloride	ethane	penzene	toluene	toluene
Enforcement Standard	ndard	9	ო	4.05	1,000	2	1	ß	200	1	ł	I
Preventive Action Limit	Limit	9.0	0.3	0.005	200	0.5	1	0.5	40	1		-
MW-1	7/31/96	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1	<1.0
MW-1	4/29/97	<0.25	<0.27	<0.12	3.5	<0.23	<0.22	<0.24	<0.34	<0.22	1	<0.20
MW-1	7/18/00	<0.21	<0.12	<0.26	1.3	<0.11	<0.11	<0.22	<0.21	<0.10	1	<0.11
MW-3	7/31/96	<1.0	<1.0	<1.0	<1.0	<1.0	× 0.1.0	<1.0	<1.0	<1.0	1	<1.0
MW-3	4/29/97	<0.25	<0.24	<0.12	2.4	<0.23	<0.22	<0.24	<0.34	<0.22	1	<0.20
MW-3	7/18/00	<0.21	<0.23>	<0.26	<0.44>	<0.11	<0.11	<0.22	<0.21	<0.10	ŀ	<0.11
MW-5	5/12/93	Q	1	QN	Q	3.7	31	8.8	QN	65	ı	QN
MW-5	86/6/9	Q	1	6.0	ì	9	36	<u>Q</u>	2	65	ì	7.2
MW-5	2/3/94	ı	ı	1	ŀ	l	ı	1	1	:	ı	ı
MW-5	9/6/94	ı	1	1	ł	ı	ı	1	ı	1	1	1
MW-5	6/10/95	9	ı	Q	2	Q	20	2	Q	46		2
MW-5	3/21/96	2	1	Q	Q	2	2	2	Q	61	24	18
MW-5	7/31/96	<5.0	<5.0	<5.0	<5.0	<5.0	31	<5.0	<5.0	91	1	25
MW-5	4/29/97	<0.25	<0.24	<0.12	5.6	<0.23	1.2	<0.24	<0.34	1.6	1	0.81
MW-5	7/18/00	<0.43	<0.23	<0.51	<0.67>	<0.21	3.1	<0.43	<0.43	3.6	1	1.8
9-MW	5/12/93	2.4	1	QN	QN	2	QN	QN	QN	QN	ı	Q
9-MM	6/6/9	2.16	ŀ	Q	Q	2	2	2	Q	92.0	ı	2
9-WM	2/3/94	1	1	ł	ı	1	ı	ı	ı	ŀ	1	ı
9-MW	9/6/94	ı	1	ł	1	ŀ	1	1	1	1	1	!
9-WM	6/2/95	9	1	9	3.4**	Q	2	2	Q	9	1	Q
MW-6	3/21/96	2	1	9	2	Q	2	2	Q	Q	1	<u>Q</u>
MW-6	7/31/96	<1.0	<1.0	<1.0	<1.0	<1.0	~	<1.0	<1.0	<1.0	ı	<1.0
9-WW	4/29/97	<0.25	<0.24	<0.12	2.6	<0.23	<0.22	<0.24	<0.34	<0.22	I	<0.20
MW-6	7/18/00	<0.21	<0.13>	<0.26	1.3	<0.11	<0.11	<0.22	<0.21	<0.10	l	<0.11

TABLE 2

UNITED PARCEL SERVICE 220 W COLEMAN STREET RICE LAKE, WISCONSIN

WATER QUALITY SUMMARY

(all results are in micrograms per liter (ug/l))

								1,3,5-	1,2,4-			
	Date					Ethyl	Xylenes	Trimethyl-	Trimethyl-	Naphtha-		sec-Butyl-
Location	Sampled	GRO	MTBE	Benzene	Toluene	ø	(total)	benzene	benzene	lene	penzene	penzene
Enforcement Standard	ndard	1	09	2	343	200	620	1	1	40	ı	:
Preventive Action Limit	Limit	:	12	4.5	68.6	140	124			8		
MW-7	3/21/96	1,500	QN	QN	QN	63	140	25	150	35	9	2.6
MW-7	7/31/96	3,300	<5.0	<3.0	7.6	83	542	190	260	100	16	9.9
MW-7	4/29/97	220	^ 2.3	<0.70	>0.66	3.2	70	12	44	6.2	4.5	<0.53
MW-7	7/18/00	200	<0.58	<0.58	<0.72	<0.46	6.8	<1.0>	28	46	7.6	7.1
Trip Blank	7/18/00	1	<0.14	<0.14	<0.18	<0.12	<0.39>	<0.20	<0.12	<0.23	<0.12	<0.12

				1,2-	Dichloro-	1,2-	-osı		1,1,1-			
	Date	Chloro-	Chloro-	Dibromo-	diflouro-	Dichloro-	propyl	Methylene	Trichloro-	n-propyi-		p-isopropyi-
Location	Sampled	form	methane	ethane	methane	propane	_	Chloride	ethane	benzene	toluene	toluene
Enforcement Standard	Idard	9	ဗ	0.05	1,000	2	:	5	200	1	1	ı
Preventive Action Limit	Limit	9.0	0.3	0.005	200	0.5	1	0.5	40	1	1	1
MW-7	3/21/96	2	1	QN	QN	QN	S	Q	QN	25	1	Q
MW-7	7/31/96	<5.0	<5.0	<5.0	<5.0	<5.0	25	<5.0	<5.0	65	I	<5.0
MW-7	4/29/97	<0.51	<0.62	<0.52	<0.95	<0.67	5.6	<0.51	<0.80	7.0	ŀ	-
MW-7	7/18/00	<0.85	<0.47	<1.0	<0.54	<0.42	18	<0.86	<0.85	23		3.3
Trip Blank	7/18/00	<0.21	<0.12	<0.26	<0.13	<0.11	<0.11	<0.22	<0.21	<0.10	-	<0.11

Methyl-tert-butyl-ether MTBE

2

Total Petroleim Hydrocarbons Gasoline range organics TPH GRO

: Not detected at or above the laboratory method detection limit (MDL); the value of the MDL was not available.

Not present above laboratory method detection limit

Not analyzed

Matrix interference

: Values in brackets represent results less than the method detection limit, but greater than the limit of detection and are within a region of "Less-Certain Quantitation" Possible laboratory contaminant

Table 1

Detected Parameters for Soil Samples
United Parcel Service Summary Laboratory Results Rice Lake, Wisconsin

Location	226	MDL	SB-04A	SB-04B	SB-440	MW-05A	MW-05B	MW-06A	MW-06B	Blank
Depth			10'-12'	17-19'	10'-12'	10'-12'	17'-19'	10'-12'	17-19'	
Parameter										
Benzene	5.5	3.0	ND	510	ND	ND	1,100	QN	QN	ND
Butylbenzene, n		3.0	840	2,100	ND	ND	ND	QN	20	N
Butylbenzene, sec		3.0	340	2,800	029	ND	3,100	QN QN	QN	QN ON
Dibromoethane, 1,2		3.0	4.3	ND	7	ND	ND	QN	QN	ND
Dichlorobenzene, 1,2	: 古年中 93.0	3.0	ND	ON	ND	ND	2,600	Q.	QN O	N
Ethyl Benzene	2905	3.0	630	1,700	1,900	QN	5,800	QN EN	ND	ND
Isopropyl Benzene		3.0	550	630	1,000	ON	280	ND	QN	ND
Isopropyltoluene, p		3.0	ND	ND	QN	ON	2,000	QN	QN ON	NO
Naphthalene		3.0	1,100	730	400	ON	920	N ON	15	ND
Propyl benzene, n		3.0	310	1,700	480	ON	1,200	EN	QN	ND
Trimethylbenzene, 1,3,5		3.0	1,300	3,100	1,400	QN	3,800	QN	QN	ND
Trimethylbenzene, 1,2,4		3.0	320	2,900	650	QN	ND	ND	QN	ND
Toluene	1530	3.0	400	790	500	ND	2,900	ND ON	ON	QN
Xylene, o		3.0	360	780	400	N	1,100	QN Q	QN	ND
Xylene, m&p	94. P	3.0	370	750	120	N	420	ND	QN	ND
GRO		2,000	1,000,000	62,000	880,000	ON	370,000	ND	ND	ND
MTBE		50	ND	65	QN	QN	1,700	ON	ND	ND

All concentrations in micrograms per Kilogram (ug/Kg) = parts per billion (ppb)

ND = Not Detected at or above the laboratory method detection limit.

MDL = Method Dection Limit

GRO = Gasoline Range Organics

MTBE = Methyl Tertiary Butyl Ether

Blank = Laboratory method blank

SB-440 = duplicate of SB-04A

Table 4

Soil Quality Results

July 2000

UPS - Rice Lake Center 220 W. Coleman Street Rice Lake, WI

Constituent		Cleanup Criteria	SB-1 alons (2-4 ft bits)##	
TPH]			
TPH-GRO	mg/kg	100	<2.4	<2.4
	_			
VOCs				
Benzene	mg/kg	0.0055	<0.035	<0.035
Toluene	mg/kg	1.5	<0.034	<0.034
Ethylbenzene	mg/kg	2.9	<0.072	<0.072
Xylenes, Total	mg/kg	4.1	<0.086	<0.086
MTBE	mg/kg		<0.087	<0.087
Naphthalene	mg/kg		<0.044	<0.036
Methylene Chloride	mg/kg		0.036	0.052
Other VOCs	mg/kg		ND	ND
	_			
Metals				
Total Lead (Pb)	mg/kg	50	<19	<19
PID				
PID Readings	ppm		256	274

Notes:

ND = Non Detect

MTBE = Methyl Tert Butyl Ether

1/ = Prevention Action Limits

mg/kg = milligrams per kilogram

ft bls = feet below land surface

UPS - Rice Lake Center Ground-Water Elevations July 6, 2000 Rice Lake, Wisconsin


Table 1

Well No.	MW-1	MW-3	MW-5	MW-6	MW-7
TOC Elevation	1,130.60	1,129.89	1,130.17	1,130.99	1,130.64
Depth to Groundwater	17.30	16.59	16.92	17.71	17.51
Groundwater Elevation	1,113.30	1,113.30	1,113.25	1,113.28	1,113.13

TOC = Top of Casing

All measurements are in feet.

Elevations are referenced to National Geodetic Vertical Datum.



Document Number

NOTICE OF CONTAMINATION TO PROPERTY

Legal Description of the Property: In re:

(as it appears on the most recent deed)

See Attached "Exhibit A"

BARRON COUNTY, WI REGISTER OF DEEDS DONNA M. MILLER

667103 12-17-2002 11:30 AM

RECORDING FEE: 15.00 TRANSFER FEE: FEE EXEMPT #: PAGES:3

NOTICE

Recording Area

Name and Return Address Ms. Dana Richardson BT-OH, LLC 55 Glenlake Parkway, NE Atlanta, Georgia 30328 Attn: Legal Department

276-5007-35-000

Parcel Identification Number (PIN)

STATE OF WISCONSIN)
) ss
COUNTY OF BARRON)

Section 1. BT-OH, LLC is the owner of the above-described property.

Section 2. It is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further soil or groundwater remediation activities on the property at the present time.

Section 3 One or more petroleum discharges have occurred at this property. Petroleum contaminated groundwater above NR 140 enforcement standards and petroleum contaminated soil above NR 720 residual contaminant levels of the Wisconsin Administrative Code exist(s) on this property.

Section 4 The owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitations and/or restrictions:

Residual petroleum contaminated soil remains on this site. According to the laboratory analytical results from soil samples collected from soil borings on 2/4/92 and May 3, 1993, near the former 10,000-gallon leaded gasoline underground storage tank (UST), the residual soils are located on-site at depth below the former UST excavation located near the northeast corner of the property along the property line. If contaminated soil is excavated in the future, it will have to be sampled and analyzed and the treatment or disposal of the soil in accordance with all applicable laws as a solid or hazardous waste may be necessary (File references: PECFA Claim # 54868-2402-20 and BRRTS # 03-03-000549).

Residual groundwater contamination is also present on-site located in the northern portion of the site. Natural attenuation is the approved remedial alternative for this site. Anyone who proposes to construct or reconstruct a well on this property is required to contact the V 1012 P 612

Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific prohibitions or requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed on this property unless applicable requirements are met.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this document, this _____ day of December, 2002.

By signing this document, he acknowledges that he is duly authorized to sign this document on behalf of BT-

OH, LLC

By: Kremeier, Vice President

Subscribed and sworn to before me this variety day of December, 2002.

Notary Public, State of Georgia

My commission ____

Motory Public, Fullen County, Georgia Mr Commission Busine Mer. 6, 2006

This document was drafted by the Wisconsin Department of Commerce.

Exhibit A

That part of Outlot 266 of the City of Rice Lake described as follows:

Commencing at an iron pipe in the west right-of-way line of the Chicago and Northwestern Railroad and on the south right-of-way line of West Coleman Street extended; thence N89°42'W along the south right-of-way line of Coleman Street to an iron pipe and the point of beginning; thence N89°42'W along the south right-of-way line of Coleman Street extended 188.15 feet to an iron pipe; thence SO°275.77 feet to an iron pipe lying in the north right-of-way line of West Schneider Street extended; thence S89°06'E along the north right-of-way line of West Schneider Street extended a distance of 188.15 feet to an iron pipe; thence NO°19'E 277.74 feet to the point of beginning.

That part of Outlot 266 of the City of Rice Lake described as follows:

Commencing at the northeast corner of Lot 2 of CSM 14-7; thence N89°40'17"W 59.79 feet along the north line of said CSM to the point of beginning; thence N89°06'07"W 188.15 feet along the south line of Outlot 266; thence N0°19'E 66 feet to the southwest corner of Records 432-108; thence S89°06'E 188.15 feet to the southeast corner of said parcel; thence S0°19'W to the point of beginning.

That part of Lot 2 of CSM 14-7, a part of Outlot 264 of the City of Rice Lake, described as follows:

Beginning at an iron pipe found marking the northeast corner of said Lot 2; thence SOO°50′56″E on the east line of said Lot 2, 140.00 feet to an iron pipe set; thence N89°14′12″W 250.21 feet to an iron pipe set; thence NOO°14′35″E 140.00 feet to an iron pipe set on the north line of said Lot 2; thence S89°05′54″E on the north line of said Lot 2, 187.75 feet to an iron pipe found; thence S89°37′26″E on the north line of said Lot 2, 59.79 feet to the point of beginning.